Annual Drinking Water Quality Report

TX0240001

FALFURRIAS UTILITY BOARD

Annual Water Quality Report for the period of January 1 to December 31, 2012

This report is intended to provide you with important information about your drinking water and the efforts made by the water system to provide safe drinking water.

For more information regarding this report contact:

Name George L. Martinez

Phone _____361-325-2597

Este reporte incluye información importante sobre el agua para tomar. Para asistencia en español, favor de llamar al telefono (361)325-2597.

FALFURRIAS UTILITY BOARD is Ground Water

Sources of Drinking Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pickup substances resulting from the presence of animals or from human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPAs Safe Drinking Water Hotline at (800) 426-4791.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For more information on taste, odor, or color of drinking water, please contact the system's business office.

You may be more vulnerable than the general population to certain microbial contaminants, such as Cryptosporidium, in drinking water. Infants, some elderly, or immunocompromised persons such as those undergoing chemotherapy for cancer; persons who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders, can be particularly at risk from infections. You should seek advice about drinking water from your physician or health care providers. Additional guidelines on appropriate means to lessen the risk of infection by Cryptosporidium are available from the Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Information about Source Water Assessments

A Source Water Susceptibility Assessment for your drinking water source(s) is currently being updated by the Texas Commission on Environmental Quality. This information describes the susceptibility and types of constituents that may come into contact with your drinking water source based on human activities and natural conditions. The information contained in the assessment allows us to focus source water protection strategies.

For more information about your sources of water, please refer to the Source Water Assessment Viewer available at the following URL: http://gis3.tceq.state.tx.us/swav/Controller/index.jsp?wtrsrc=

Further details about sources and source-water assessments are available in Drinking Water Watch at the following URL: http://dww.tceq.texas.gov/DWW

Source Water Name		T	ype of Water	Report Status	Location
11A - PINEDA ST	PINEDA ST	5:	GW	ACTIVE	GOLIAD SANDS
12 - 1222 CR 104 / W NOBLE ST	W NOBLE ST		GW	ACTIVE	GOLIAD SANDS
13 - HWY 285 W	HWY 285 W		GW	ACTIVE	GOLIAD SANDS
15 - 181 CR 221	CR 221 LA PARRITA		GW	ACTIVE	GOLIAD SANDS
16 - 942 SW PINEDA /	942 SW PINEDA /		GW	ACTIVE	GOLIAD SANDS
6 - 1102 FM 1418	1102 FM 1418		GW	ACTIVE	GOLIAD SANDS
9 - HWY 285 W	HWY 285 W		GW	ACTIVE	GOLIAD SANDS

,	Year	Disinfectant	Average Level	Minimum Level	Maximum Level	MRDL	MRDLG	Units of Measure	Source of Chemical
	2012	Chlorine	1.21 mg/L	0.78 mg/L	1.69 mg/L	4.0	<4.0	ppm	Disinfectant used to control microbes

Lead and Copper

Definitions:

Action Level Goal (ALG): The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety. Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Lead and Copper	Date Sampled	MCLG	Action Level (AL)	90th Percentile	# Sites Over AL	Units	Violation	Likely Source of Contamination
Copper	09/17/2010	1.3	1.3	0.0821	0	ppm	N	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems.
Lead	09/17/2010	0	15	2.25	0	ррь	N	Corrosion of household plumbing systems; Erosion of natural deposits.

Water Quality Test Results

Definitions:

The following tables contain scientific terms and measures, some of which may require explanation. Regulatory compliance with some MCLs are based on running annual average of monthly samples.

Maximum Contaminant Level or MCL:

The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Contaminant Level Goal or MCLG: Maximum residual disinfectant level or MRDL:

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG:

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

MFL

million fibers per liter (a measure of asbestos)

Avg:

not applicable.

NTU

nephelometric turbidity units (a measure of turbidity)

pCi/L

picocuries per liter (a measure of radioactivity)

ppb:

micrograms per liter or parts per billion - or one ounce in 7,350,000 gallons of water.

ppm:

milligrams per liter or parts per million - or one ounce in 7,350 gallons of water.

ppt

parts per trillion, or nanograms per liter (ng/L)

parts per quadrillion, or picograms per liter (pg/L)

Page 3 of 5

regulated Contaminants

Disinfectants and Disinfection By-Products Collection Date Detected Highest Level Detected Range of Levels Detected MCLG MCL Units Violation Likely Source of Contaminant Detected Total Trihalomethanes (TTHM) 06/22/2010 1 0 - 1 No goal for the total 80 ppb N By-product of drinking water of Contaminant Detected Inorganic Contaminants Collection Date Highest Level Detected MCLG MCL Units Violation Likely Source of Contaminant Detected Arsenic 2012 1.41 1.41 - 1.41 0 10 ppb N Erosion of natural deposits. Intended the contaminant of the contaminant deposits and electric details. The contaminant deposits and electric details are provided as an account of the contaminant deposits. In the contaminant deposits are provided as an account deposit and the contaminant deposits. In the contaminant deposits are provided as a contaminant deposit and the contaminant deposits. In the contaminant deposits are provided as a contaminant deposit and the contaminant deposits. In the contaminant deposits are provided as a contaminant deposit and the contaminant deposits. In the contaminant deposits are provided as a contaminant deposit and the contaminant deposits. In the contaminant deposits are provided as a contaminant deposit and the contaminant deposits. In the contaminant deposits are provided as a contaminant deposit and the contaminant deposits. In the contaminant deposits are prov	
Inorganic Contaminants Collection Date Highest Level Detected Det	tion
Arsenic 2012 1.41 1.41-1.41 0 10 ppb N Erosion of natural deposits. Runoff from glass and electromatical deposits. Runoff from glass and electromatical deposits. Runoff from glass and electromatical deposits. Purchased as Nitrogen 2012 2 0.0996 0.0996 0.0996 2 2 2 ppm N Discharge from steel and pulnatural deposits. Pluoride 2012 3.39 3.39-3.39 100 100 ppb N Discharge from steel and pulnatural deposits. Pluoride 2012 0.7 0.64-0.7 4 4.0 ppm N Erosion of natural deposits, promotes strong teeth; Discharge from steel and pulnatural deposits. Nitrogen 2012 2 0-1.56 10 10 ppm N Runoff from glass and electromatical deposits. Pluoride 2012 2 0-1.56 10 ppm N Erosion of natural deposits, promotes strong teeth; Discharge from the controlled pulnatural deposits. Selenium 2012 5.82 5.82-5.82 50 50 ppb N Discharge from petroleum and Erosion of natural deposits; I	r disinfection.
Barium 2012 0.0996 0.0996 - 0.0996 2 2 ppm N Discharge of drilling wastes; refineries; Erosion of natural deposits; Runoff from glass and electr N Discharge of drilling wastes; refineries; Erosion of natural deposits. The control of the control o	tion
Chromium 2012 3.39 3.39 - 3.39 100 100 ppb N Discharge of drilling wastes; refineries; Erosion of natural deposits. Fluoride 2012 0.7 0.64 - 0.7 4 4.0 ppm N Erosion of natural deposits; Notrate [measured as Nitrogen] N Runoff from fertilizer use; Letanks, sewage; Erosion of natural deposits; I Selenium 2012 5.82 5.82 - 5.82 50 50 ppb N Discharge from petroleum and Erosion of natural deposits; I	Runoff from orchards; onics production wast
Fluoride 2012 0.7 0.64 - 0.7 4 4.0 ppm N Erosion of natural deposits; Normalizated as Nitrate [measured as Nitrogen] 2012 2 0 - 1.56 10 10 ppm N Runoff from fertilizer use; Lotanks, sewage; Erosion of natural deposits; I Selenium 2012 5.82 5.82 5.82 50 50 ppb N Discharge from petroleum and Erosion of natural deposits; I	Discharge from metal deposits.
Nitrate [measured as Nitrogen] 2012 2 0-1.56 10 10 ppm N Erosion of natural deposits; N promotes strong teeth; Disch aluminum factories. Nitrogen] Selenium 2012 5.82 5.82-5.82 50 50 ppb N Discharge from petroleum an Erosion of natural deposits; I	p mills; Erosion of
Nitrate [measured as Nitrogen] 2012 2 0-1.56 10 10 ppm N Runoff from fertilizer use; Le tanks, sewage; Erosion of natural deposits; I	Water additive which arge from fertilizer an
Discharge from petroleum an Erosion of natural deposits; I	eaching from septic tural deposits.
Thallium 2012 0.971 0.971 0.5 2 0.99 N. Dischar Cond.	d metal refineries; Discharge from mines.
ore-processing sites; drug fac	glass, and Leaching fro
Radioactive Contaminants Collection Date Highest Level Range of Levels MCLG MCL Units Violation Likely Source of Contaminat	ion
Beta/photon emitters 04/18/2011 13.4 13.4 - 13.4 0 50 pCi/L * N Decay of natural and man-ma	ide deposits.
EPA considers 50 pCi/L to be the level of concern for beta particles.	
Gross Alpha Compliance 04/18/2011 16.9 9.1 - 16.9 0 15 pCi/L N Erosion of natural deposits.	

Gross Alpha Compliance	04/18/2011	16.9	9.1 - 16.9	0	15	pCi/L	И	Erosion of natural deposits.

Uranium	04/18/2011	11.6	11.6 - 11.6	0	30	ug/i	N	Erosion of natural deposits.

The TCEQ completed an assessment of your source water and results indicate that some of your sources are susceptible to certain contaminants. The sampling requirements for your water system are based on this susceptibility and previous sample data. Any detections of this contaminants may be found in this Consumer Confident Report. For more information on source water assessments and protection efforts at our system, contact George L. Martinez, (361) 325-2597.

PUBLIC PARTICIPATION OPPORTUNITIES

DATE: Last Thursday of Month

TIME: 9:30 A.M.

LOCATION: 215 E. Allen St.

PHONE NUMBER: (361) 325-2597